ELSEVIER

Journal of Organometallic Chemistry 518 (1996) 239

Journal of Organometallic Chemistry

Author Index of Volume 518

Ahlgrèn, M., 203
Alt, H.G., 7
Andrews, P.C., 85

Baker, P.K., 235
Barnett, N.D.R., 85
Barr, D., 85
Bilda, D., 79
Bochmann, M., 97
Bruce, M.I., 121
Brunner, H., 47
Byun, G.-g., 1

Calderazzo, F., 189
Cannon, R.D., 97
Castro, A., 37
Choi, Y.-Y., 227
Clark, A.I., 235
Clegg, W., 85
Coles, S.J., 235
Cowton, L., 85
Crespo, M., 105

Dawson, A.J., 85
Dolgushin, F.M., 115
Dorigo, A.E., 139

Emge, T.J., 55
Erker, G., 17, 221

Ferri, I., 189
Fischer, Ch., 79
Fischer, R.D., 181
Flörke, U., 213
Font-Bardía, M., 105
Fröhlich, R., 17, 221

Goldman, A.S., 55
Goldman, M.E., 55
Gómez, M., 37
Gómez-Sal, P., 37
Green, M.L.H., 155
Griffith, C.S., 197

Haggitt, J., 155
Hassner, A., 69
Haupt, H.-J., 213
Henderson, K.W., 139
Horn, E., 121
Houghton, R.P., 21
Humphrey, P.A., 121
Hursthouse, M.B., 235

Isea, R., 29

Kaganovich, V.S., 115
Kakkonen, H.J., 203
Kang, K.S., 1
Kerzina, Z.A., 115
Kivikoski, J., 115
Kolehmainen, E., 115
Kortus, K., 79
Kotila, S., 17
Koutsantonis, G.A., 197

Laihia, K., 115
Lee, C.-s., 1
Lee, D., 1
Lu, J., 97

Manzanero, A., 37
Martínez-Cruz, L.A., 29
Martinho Simões, J.A., 167
Masaguer, J.R., 29
Minas da Piedade, M.E., 167
Mulvaney, A.W., 21
Mulvey, R.E., 85, 139

Naderer, H., 181
Namboothiri, I.N.N., 69
Navarro-Ranninger, C., 29
Noh, S.K., 1
Nuber, B., 47

Oeschey, R., 47
O'Neil, P.A., 85

Pakkanen, T.A., 203
Pampaloni, G., 189
Petrovskii, P.V., 115
Pursiainen, J., 203

Raston, C.L., 197
Richards, R.L., 235
Röttger, D., 17, 221
Royo, P., 37
Rybinskaya, M.I., 115

Selegue, J.P., 197
Selke, R., 79
Siebel, E., 181
Skelton, B.W., 197
Solans, X., 105
Struchkov, Yu.T., 115

Tiekink, E.R.T., 121
Tillack, A., 79
Troyanov, S., 189

Ushioda, T., 155

Valkonen, J., 115
Van der Zeijden, A.A.H., 147

Wakefield, B.J., 85
Wang, K., 55
White, A.H., 197
Wittbecker, R., 213
Wong, W.-T., 227
Wong, W.-Y., 227

Yan, X., 155
Yanovsky, A.I., 115
Yoon, K.-b., 1

Zamora, F., 29
Zenk, R., 7

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 518 (1996) 241–246

Journal of Organometallic Chemistry

Subject Index of Volume 518

Ab initio MO calculations
Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139
Addition reaction
Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69
Alkanes
Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55
Alkenes
Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69
Alkylidyne
Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[(Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C))_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227
Amide
X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85
Amido
Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139
Arene
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
η-Arene derivatives
η^6-Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
Benzylidenebenzylamines
C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105
Betaine
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
Binuclear
Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1
Bis(diphenylphosphino)alkane
Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[(Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C))_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227
Bridging ligand
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
Carbonyl
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) · CH_2Cl_2 (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203
Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[(Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C))_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227
Catalysis
Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs $(C_{13}H_{8-n}R_nCR'R''C_5H_4)MCl_2$ (n = 0,2; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55
Catalysts
Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect

Elsevier Science S.A.

to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213

CC-coupling reactions

Eine Ni^0-induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79

CH_2-Bridging ligand

Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115

Chirality

Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47

Chirality transfer

Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147

Cluster

Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115

Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ (PMe_2Ph) · CH_2Cl_2 (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203

Clusters

Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[\{Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C)\}_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

Cobalt

Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ (PMe_2Ph) · CH_2Cl_2 (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203

Conjugated nitroolefins

Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69

Cross-coupling

Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

Crystal structure

Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115

Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47

Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ (PMe_2Ph) · CH_2Cl_2 (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203

Synthesis, molecular structure and reactions of the novel organometallic thioether ligand $[WI_2(CO)\{(Me)S(CH_2)_2S(CH_2)SMe\text{-}S,S'\}(\eta^2\text{-}PhC_2Ph)]$ (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235

Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[\{Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C)\}_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85

Cyclometallation

C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105

Cyclopentadienyl

A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_3SiMe_3)Cl_2$ and $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_3(SiMe_3)_2)H_3$ (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147

Cyclopentadienyl ligands

Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115

Cycloplatination

C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105

Dehydrogenation

Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55

Dimethylzirconocene

Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

Diphenylacetylene

Synthesis, molecular structure and reactions of the novel organometallic thioether ligand $[WI_2(CO)\{(Me)S(CH_2)_2S(CH_2)SMe\text{-}S,S'\}(\eta^2\text{-}PhC_2Ph)]$ (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235

Disproportionation

Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139

Dynamic metallocene complexes
Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic [μ-R^1CCR^2][μ-chloro($ZrCp_2$)$_2$] framework (D. Röttger, G. Erker and R. Fröhlich), 221
Electrochemistry
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
Entropy data
Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167
Ferrocene polymers
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
Gas phase reactions
Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167
Group 5
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of Ta(η^5-C_5Me_5)X(η^5-$C_5H_4SiMe_3$)Cl_2 and Ta(η^5-C_5Me_5)(η^5-$C_5H_3(SiMe_3)_2$)H_3 (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
Group 4 metallocene cations
Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic [μ-R^1CCR^2][μ-chloro($ZrCp_2$)$_2$] framework (D. Röttger, G. Erker and R. Fröhlich), 221
Hafnium
η^6-Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs ($C_{13}H_{8-n}R_nCR'R''C_5H_4$)$MCl_2$ (n = 0,2; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
Hydrides
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of Ta(η^5-C_5Me_5)X(η^5-$C_5H_4SiMe_3$)Cl_2 and Ta(η^5-C_5Me_5)(η^5-$C_5H_3(SiMe_3)_2$)H_3 (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
Hydrogenation
Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213
Imine
C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105
Indenyl
Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181
Isomerization
Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213
Lewis acid
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
Lithium
X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85
Magnesium
Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139
Manganese
Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69
Metallocene
Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1
Metallocene cation
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
Metallocene complexes
Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs ($C_{13}H_{8-n}R_nCR'R''C_5H_4$)$MCl_2$ (n = 0,2; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7
Metallocenes
Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
Nickel
Eine Ni^0-induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79
Niobium
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of Ta(η^5-C_5Me_5)X(η^5-$C_5H_4SiMe_3$)Cl_2 and Ta(η^5-C_5Me_5)(η^5-$C_5H_3(SiMe_3)_2$)H_3 (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
NMR
Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29

Olefin-polymerisation
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

Organomanganese reagents
Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69

Organometallic reactions
Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167

Orthopalladation
Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29

Osmium
Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of $[(Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}C))_2(\mu\text{-dppp})]$ (dppp = bis(diphenylphosphino)propane) and $[Os_3(\mu\text{-}H)_2(CO)_8(\mu_3\text{-}CPPh_2CH_2PPh_2)]$ (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

Oxo-chloro mixed species
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_4SiMe_3)Cl_2$ and $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_3(SiMe_3)_2)H_3$ (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

Oxygen bridge
Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1

Palladium
Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29

Palladium catalyst
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

Phenylisocyanate
Eine Ni^0-induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79

Phosphine
Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_8[HC(PPh_2)_3]$ $(PMe_2Ph)\cdot CH_2Cl_2$ (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203
Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55

Planar-tetracoordinate carbon
Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic $[\mu\text{-}R^1CCR^2][\mu\text{-chloro}(ZrCp_2)_2]$ framework (D. Röttger, G. Erker and R. Fröhlich), 221

Platinum
C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105

Polyethylene
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

Polysiloxane
Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1

Redox-active polymers
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

Rhenium carbonyl cluster derivatives
Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213

Rhodium
Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55

Ruthenium
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
Reactions of $HRuCo_3(CO)_9[HC(PPh_2)_3]$ and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ with PMe_2Ph. Crystal structures of clusters $HRuCo_3(CO)_8[HC(PPh_2)_3]$ (PMe_2Ph) and $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$ $(PMe_2Ph)\cdot CH_2Cl_2$ (H.J. Kakkonen, M. Ahlgrèn, T.A. Pakkanen and J. Pursiainen), 203

Ruthenium anion
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Ruthenium cation
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Schiff base
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η^6-benzene–ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47

Semibridging carbonyl group
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M.

Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115

Silicon
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1

Siloxane
Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

Silyl
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_4SiMe_3)Cl_2$ and $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_3(SiMe_3)_2)H_3$ (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

Sodium
X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85

Starting material
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Sulphur
Synthesis, molecular structure and reactions of the novel organometallic thioether ligand $[WI_2(CO)\{(Me)S(CH_2)_2S(CH_2)SMe\text{-}S,S'\}(\eta^2\text{-}PhC_2Ph)]$ (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235

Superlattice symmetry
A re-investigation of the reaction of $[RuCl_2(CO)_3]_2$ with $C_5H_5(Me_3Si)$. X-ray structure determination of $[Ru(CO)_3(\eta\text{-}C_5H_5)][fac\text{-}RuCl_3(CO)_3]$ (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Syndiotactic polypropylene
Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs $(C_{13}H_{8-n}R_nCR'R''C_5H_4)MCl_2$ ($n = 0,2$; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

Synthesis
Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29

Tantalum
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_4SiMe_3)Cl_2$ and $Ta(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5H_3(SiMe_3)_2)H_3$ (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

Tin carboxylates
Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21

Tin thiolates
Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21

Titanium
η^6-Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

Tris(pentafluorophenyl)borane
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

Tungsten
Synthesis, molecular structure and reactions of the novel organometallic thioether ligand $[WI_2(CO)\{(Me)S(CH_2)_2S(CH_2)SMe\text{-}S,S'\}(\eta^2\text{-}PhC_2Ph)]$ (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235

Urethane formation
Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21

Van't Hoff/Le Bel compound
Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic $\{\mu\text{-}R^1CCR^2\}\{\mu\text{-chloro}(ZrCp_2)_2\}$ framework (D. Röttger, G. Erker and R. Fröhlich), 221

X-ray structure
C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105
Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29

X-ray structures
η^6-Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189

Zinc reagent
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

Zirconium
η^6-Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs $(C_{13}H_{8-n}R_nCR'R''C_5H_4)MCl_2$ ($n = 0,2$; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

Zirconocene

Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic (μ-R^1CCR^2)[μ-chloro($ZrCp_2$)$_2$] framework (D. Röttger, G. Erker and R. Fröhlich), 221

Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181